



To: All Regional Medical Laboratory, Inc. (RML) Clients

From: Gerald C. Miller, Ph.D, Chief of Immunology and Microbiology
Liz Carreiro, MT, Manager, Chemistry/Processing/LCMS
Nikki Garner, MS HCA, Supervisor, Processing/Specimen Resolution/Ref Lab
Shelli Lamb, MLT, Reference Lab Specialist

Date: July 9, 2020

Subject: Discontinued test – Mycoplasma pneumoniae Culture

RML has been notified by our Reference Labs that Mycoplasma pneumoniae Culture will be discontinued starting September 21, 2020. The reference lab has suggested Mycoplasma pneumoniae Qualitative PCR as a possible replacement test. Please refer to RML Online concerning specimen collection requirements for the replacement test. Test information can be located by using the RML test names and mnemonics listed in the below grid.

DISCONTINUED TEST NAME	MNEMONIC	ORDER CODE
Mycoplasma pneumoniae Culture	C M PNEUMO	6002785
REPLACEMENT TEST NAME	MNEMONIC	ORDER CODE
Mycoplasma pneumoniae Qualitative PCR	Mycoplas QI PCR	6900565

If you have any questions or concerns about this test change, please contact Dr. Gerald Miller, RML Reference Lab Specialists, or your Sales Representative at 918-744-2553.